EZCONCEPT COMFORTECH BUILDING PERFORMANCE SOLUTIONS

EzyJamb QUOTE REQUEST
For Hinged Doors

Please complete all columns for each different line entry. Use drop-down box for standard door options or information or custom sizes. Orders will not be processed when orders are incomplete.

DATE

COMFORTECH ACCOUNT MANAGER

REFERENCE

DATE REQUIRED

EMAIL

INVOICE TO:

DELIVER TO:

CONTACT NAME

TELEPHONE NUMBER

EzyJamb
EZC | Classic Adjust

EzyJamb
SRC | Single Rebate

EzyJamb
ISD | Inswing

	JAMB TYPE	DOOR HEIGHT	DOOR WIDTH	DOOR THICKNESS	FINISHED WALL THICKNESS (Including Plaster)	HINGE HANDING	HINGE TYPE	HINGE COLOUR	LATCH HEIGHT (1020mm STD)	FLOOR TO CEILING DOOR (Yes or No)	FRAME QTY	ADD EzyDOR (Yes or No)	EzyDor TYPE
1	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-
2	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-
3	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-
4	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-
5	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-
6	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-
7	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-
8	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-
9	- Select -	mm	mm	- Select -	mm	- Select -	- Select -	- Select -	mm	- Select -	#	-Select-	-Select-

Additional Notes/Special Instructions

If you require assistance completing this form,
please call 0800 45 4000 or email us at orderschc@comfortech.co.nz

A Studco Innovation
STUDCO BUILDING SYSTEMS

EZCONCEPT COMFORTECH BUILDING PERFORMANCE SOLUTIONS

EzyJamb **QUOTE REQUEST**
For Hinged Doors

	JAMB TYPE	DOOR HEIGHT	DOOR WIDTH	DOOR THICKNESS	FINISHED WALL THICKNESS (Including Plaster)	HINGE HANDING	HINGE TYPE	HINGE COLOUR	LATCH HEIGHT (1020mm STD)	FLOOR TO CEILING DOOR (Yes or No)	FRAME QTY	ADD EzyDOR (Yes or No)	EzyDor TYPE
10	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
11	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
12	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
13	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
14	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
15	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
16	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
17	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
18	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
19	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
20	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
21	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
22	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
23	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
24	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-
25	-Select-	mm	mm	-Select-	mm	-Select-	-Select-	-Select-	mm	-Select-	#	-Select-	-Select-

Additional Notes/Special Instructions

If you require assistance completing this form,
please call 0800 45 4000 or email us at orderschc@comfortech.co.nz

A Studco Innovation
STUDCO BUILDING SYSTEMS

EZCONCEPT

COMFORTECH
BUILDING PERFORMANCE SOLUTIONS

ORDERING INFORMATION
AND CONDITIONS

Opening Products

Handing Information
Diagram is suitable for Australia/New Zealand



LEFT HAND DOOR

RIGHT HAND DOOR

Door handing is based on when you pull the door towards you.

Door Hardware	Rocyork stainless steel herline hinge	Rocyork RY45 concealed hinge	Stainless Steel Latch Plate	Plastic Latch Insert	Punching for latch plate for 1020mm
Standard Doors 2040 high or less	2	2	1	1	1
Standard Doors 2040-2340mm high	3	3	1	1	1
Double Doors 2040mm high or less	4	4			
Double Doors 2040-2340mm	6	6			

Opening Preparation

EzyJamb Classic Adjust
For herline and lift-off hinges use the following guidelines:
DOOR WIDTH + 15mm (DOUBLE DOOR WIDTH + 18mm)
DOOR HEIGHT + 8mm (clearance) + specified floor covering thickness.
For Concealed Hinges add an additional 25mm to the width

EzyJamb Single Rebate
For herline and lift-off hinges use the following guidelines
DOOR WIDTH + 25mm (DOUBLE DOORWIDTH + 28mm)
DOOR HEIGHT + 8mm (clearance) + 15mm (header depth) + specified floor covering thickness

EzyJamb Inswing
For RY60 Concealed Hinges use the following guidelines
DOOR WIDTH + 60mm clearance (DOUBLE DOOR WIDTH + 65mm clearance)
DOOR HEIGHT +13mm + Floor Coverings (Less than full height DOOR Height + 23mm + 10mm + Floor Covering)
For Mortice Butt hinges use DOOR WIDTH + 45mm Clearance

CavKit & SlideSet
Please discuss rough framing preparations with your EZ Concept representative.

Additional Notes/Special Instructions

Availability
- All EzyJamb, CavKit and SlideSet products are made to order. No EzyJambs are available ex-stock.
- Lead times apply to all EzyJamb, CavKit and SlideSet orders. Please allow 15 working days lead time + shipping. Longer lead times may apply in some cases. Always confirm exact lead time with Studco prior to placing order.
- All orders are accepted by Studco on a FIFO basis (first in, first out). For urgent orders refer below.

Expedited Orders
- For urgent orders, manufacturing processes can be expedited on request. An extra charge per jamb set is applicable to expedited orders. Expedition of EzyJamb, CavKit and SlideSet orders is not always possible and is subject to operational requirements. Always confirm exact lead time with Studco prior to placing order.

Floor to Ceiling Doors
- Floor to ceiling doors require no header jamb as the door extends to the total height of the wall, when framing for this type of application allow the ceiling framing and plasterboard to carry on through to the adjacent space.

Custom Door Sizes
- Custom size EzyJamb, CavKit and SlideSet products are available on request. Longer lead times and additional charges may apply for custom sizes. Custom latch plate punching is available on request.

Pricing and Quotes
- All prices for EzyJamb, CavKit, SlideSet, accessories and associated processes do not include GST or freight charges unless expressly noted in writing. Always confirm pricing prior to placing your order.

Latch Plate Punching
- Latch plate punching is standard at 1020mm from base of jamb. All latch plate punching dimensions are measured from the base of jamb up.

Shipping and Insurance
- EzyJamb, CavKit and SlideSet are shipped as a boxed kit for increased protection in transit
- Whilst every effort is made to ensure goods are shipped and handled with care, it is inevitable that goods will occasionally be damaged in transit. Shipping insurance to cover the cost of replacement of goods is available. Refer to Studco's standard terms and conditions for further clarification.

Returns
- As all EzyJamb, CavKit and SlideSet products are made specifically to order to individual requirements, all EzyJamb door jambs are non-returnable and non-refundable. All orders for EzyJamb door jambs are also irrevocable after two (2) hours of EzyJamb receiving the order, due to manufacturing and scheduling requirements.

CavKit
- CavKit is designed to suit most brands of cavity sliders and is custom made to suit your requirements. CavKit standard components assumes the lining board is the same on both sides, if these are not equal please contact your EZ Concept representative. CavKit is a trim kit only and does not include the cavity sliding door, frame or track, if these components are required please contact your EZ Concept representative to learn more about SlideSet Complete Cavity Sliders.

☐ **DISCLAIMER**
I have read, understood and agree to the Ordering Information and Conditions as set out on this page.

CLICK TO PRINT

CLICK TO SUBMIT

If you require assistance completing this form,
please call 0800 45 4000 or email us at orderschc@comfortech.co.nz

A Studco Innovation
STUDCO BUILDING SYSTEMS